Molecular and Cellular Endocrinology, 60 (1988) 250–255
Elsevier Scientific Publishers Ireland, Ltd.

Key Word Index to Volumes 55–60 (1988)

A431 cell, (57), 87
Adenosine, (57), 231
Adenosine receptor, (56), 205; (59), 255
Adenylate cyclase, (55), 183; (56), 205; (57), 231; (58), 199; (59), 35; (59), 67; (59), 195; (60), 163
Adenylyl cyclase, (58), 287
Adipocyte, (60), 87
Adrenal, (57), 215; (60), 55; (60), 189
Adrenal cortex, (55), 15; (60), 61
Adrenal cortex, cell culture, (57), 139
Adrenal steroid, (58), 213
Adrenal tumor cell line, Y-1, (58), 199
β-Adrenergic receptor, (60), 95
Adrenocorticotrophic hormone production, (55), 167
Affinity chromatography, (55), 159
Aggregate, (60), 151
Albumin, (59), 221
Aldosterone, (57), 163
Alkaline phosphatase, (55), 77; (60), 15
Aminoglutethimide, (56), 149; (60), 243
Amino terminal domain, (59), 155
Androgen, (55), 233; (56), 21; (57), 51; (58), 213; (60), 101
Androgen-binding protein, (57), 61; (58), 51
Androgen insensitivity, (57), 205
Androgen, intraprostatic, (56), 141
Androgen receptor, (57), 205
Androgen treatment, (56), 63
5-Androstene-3β,17β-diol, (55), 233
Androstenedione, (55), 233; (58), 213
Angiotensin II, (60), 71
Angiotensinogen, (56), 91
Anterior pituitary, (60), 225
Anterior pituitary gland, (55), 173; (59), 47
Antiandrogen, pure, (56), 141
Antidiuretic hormone, (57), 199
Antilipolysis, (58), 167
Arachidonic acid, (57), 157
Aromatase, (57), 187
Aromatase activity, (55), 61
Aromatase cytochrome *P*-450, (59), 93
Ascorbic acid, (56), 149
Astrocyte, (58), 73
ATH receptor, (60), 169
Atresia, (60), 177
Atrial natriuretic peptide, (56), 171
Autoradiographic localization, (60), 95
Autoradiography, (55), 219; (56), 29; (58), 257
Basement membrane, (56), 1
Basic fibroblast growth factor, (55), 7
B cell, (57), 41
Biotinylation, (56), 71
Biphasic secretion, (59), 213
Bovine trophoblast protein-1 (bTP-1) complex, (58), 103
Brain, (56), 255
Brain lesion, (58), 275
Brain stem, (57), 77
Breast cancer, (55), 233; (58), 213; (59), 205
Breast cancer, androgen-sensitive, (58), 207
Breast cancer cell, (57), 169
Bromocriptine, (58), 137; (60), 225
Butyrate, (58), 191

Ca^{2+}, (56), 107; (59), 67
C_{19} adrenal estrogen, (55), 233
Ca^{2+} flux, (59), 77
Calcitonin, cDNA, (59), 165
Calcitonin gene, (57), 1
Calcitonin gene-related peptide, (57), 1; (57), 41
Calcitonin, precursor, (59), 165
Calcitonin receptor, internalization, (58), 9
Calcitonin, secretion, (59), 165
Calcium, (56), 41; (57), 199; (59), 165
Calcium, cytosolic, (57), 163
Calcium efflux, (60), 199
Calcium influx, (56), 133; (60), 199
Calcium ion, (56), 53
Calcium uptake, (57), 77
Calfluxin, (60), 23
Calliphora, (57), 239
Calmodulin, (56), 41; (59), 67
Cancer cell line, (60), 43
Carbohydrate difference, kinetics, (56), 91
Carcinogenesis, (58), 287
Casein, (60), 15
Castration, (56), 63; (60), 119
Catecholamine, (57), 139; (59), 187; (60), 163
Catfish hepatocyte membrane, (60), 163
Cell culture, (56), 199; (57), 169; (58), 73; (60), 239
Cell-free translation, (60), 145
Cell separation, (58), 137
Cell-surface antigen, (59), 233
Cellular endocrinology, (59), 147
C-*fos*, (58), 279
Chloride, (56), 11

Chloroquine, (58), 9
Cholesterol, (57), 7
Cholesterol side chain cleavage, (55), 121
Cholesterol synthesis, (57), 215
Choriocarcinoma, (59), 125
Class II antigen, (58), 129
Cold exposure, (55), 141
Collecting duct, (57), 199
Copper, (56), 11
Corpus luteum, (58), 109
Corpus luteum, subcellular fractionation, (59), 135
Corticosteroid receptor, (56), 191
Corticotroph, (55), 219
Cortisol, (57), 139; (58), 207
Coupling, (60), 31
Cultured adipocyte, (57), 93
Cyclic adrenocorticotrophic hormone, (60), 55
Cyclic AMP, (56), 53; (56), 115; (56), 165; (56), 199; (56), 227; (57), 139; (57), 149; (57), 199; (58), 43; (58), 243; (59), 125; (59), 213; (60), 127; (60), 137; (60), 211; (60), 233
Cyclic GMP, (56), 171
Cyclic nucleotide, (55), 173
Cycloheximide, (58), 155; (59), 213
Cyproterone acetate, (57), 61
Cytochrome *P*-450, (60), 105
Cytokine, (57), 51
Cytoplasmic calcium, secretion, (59), 77
Cytosolic free calcium, (60), 199
Cytotoxicity, (55), 87

Dantrolene, (60), 199
D_2-dopamine receptor, (59), 35
Dehydroalanine, analysis, (57), 101
Dehydroepiandrosterone, (55), 233; (58), 213
12-Deoxyphorbol 13-isobutyrate, (60), 71
Δ^6-Desaturase, (56), 123
Detergent, (56), 99
Dexamethasone, (58), 207
Diabetogenic virus, (55), 193
Diacylglycerol lipase, (57), 115
Dibutyryl cyclic AMP, (59), 27
Dihydrotestosterone, (56), 141; (57), 205
5α-Dihydrotestosterone, (56), 211
1,25-Dihydroxyvitamin D_3, (60), 109
1,25-Dihydroxyvitamin D_3 receptor, (60), 15
Disease flare, (56), 141
cDNA, (59), 205
cDNA cloning, (55), 107
cDNA library, uterine, (57), 179
DNA sequencing, (55), 107
Dopamine, (58), 113
Dot blot, (57), 179

Ecdysone, (57), 251
Ecdysteroid receptor, (57), 239
Egg laying, hormone precursor, (60), 23
Eicosa-8,11,14-trienoyl-coenzyme A, (56), 123
Electron microscopy, (55), 219; (56), 219
Endocytosis, (59), 13
Endocytosis, receptor-mediated, (57), 225
Endometrium, (60), 137
Endorphin-β production, (55), 167
Epidermal calcium binding protein, (60), 145
Epidermal growth factor, (57), 87; (57), 157; (59), 93; (59), 125; (60), 101
Epidermal growth factor receptor, (56), 21
Epidermis, (60), 145
Erythroid cell, (56), 199
Erythroleukemia cell, (56), 235
Estradiol, (57), 25; (57), 77; (58), 149
17β-Estradiol, (57), 61
Estradiol-17β-fatty acid ester, (60), 7
17β-Estradiol metabolism, (58), 231
Estrogen, (55), 115; (59), 205; (59), 233
Estrogen receptor, (56), 29
Estrogen receptor regulation, (56), 157
Estrogen, regulation, (59), 35
Estrogen sulfate, (58), 231
Estrogen sulfotransferase, (58), 231
Estrous cycle, (58), 149
Ethylene-1,2-dimethanesulphonate, (60), 119
Euthyroid, (56), 271

Fatty acyl-coenzyme A : estradiol-17β acyltransferase, (60), 7
Fetal development, (55), 121
Fibroblast growth factor, (58), 275; (58), 283
Flufenamate, (58), 155
Follicle, (55), 209
Follicle-stimulating hormone, (55), 61; (55), 101; (56), 1; (56), 35; (57), 187; (58), 263; (59), 179; (59), 195
Follicle stimulating hormone β subunit, (55), 107
Forskolin, (55), 243
Functional receptor domain, (56), 245
Fura 2, (60), 199

Gene expression, (59), 241; (60), 217
Genetic mutation, (59), 171
Gene transfer, (56), 263; (60), 217
Germ cell, (58), 65
GH_3 cell, (55), 21
Glial C6 cell, (58), 191
Glomerulosa cell, (57), 163
Glucagon, (59), 187; (60), 163
Glucagon, liver, (55), 203
Glucocorticoid, (58), 207; (60), 43
Glucocorticoid receptor, (55), 115
Glucocorticoid sensitivity, (58), 183
Glucose, (56), 219
Glucose oxidation, (59), 83
Glucose transport, (60), 31
Glycoprotein, (58), 103
Gonadectomy, (58), 1
Gonadotroph, (55), 219; (58), 257
Gonadotrophin, (55), 173; (56), 41; (58), 263
Gonadotrophin alpha subunit, (56), 81
Gonadotrophin release, (55), 131

Gonadotrophin-releasing hormone, (55), 53; (56), 11; (56), 41; (56), 81; (57), 157; (58), 149; (58), 155; (59), 101
Gonadotrophin-releasing hormone-associated peptide, (55), 95
Gonadotrophin-releasing hormone stimulation, (55), 131
Gonadotroph primary culture, (59), 1
Gonadotroph responsiveness, (59), 101
G protein, (57), 163; (59), 67; (59), 171
Granulosa cell, (56), 35; (56), 149; (57), 61; (58), 161; (60), 177
Granulosa cell differentiation, (55), 7
Growth factor, (55), 209; (58), 221; (60), 217
Growth factor purification, (57), 69
Growth hormone, (55), 21; (56), 53; (56), 263; (58), 243; (59), 13
Growth hormone, estradiol-17β, (55), 233
Growth hormone-releasing hormone, (56), 53; (58), 243
GTP content, (55), 183
Guanidinopropionic acid, (58), 175
Guanine nucleotide, (59), 171

Heart, (56), 191
Heparin-Sepharose, (57), 69
High performance liquid chromatography, (55), 95
Hippocampus, (57), 77
Histamine, (60), 71
HL-60, (60), 43
Hormonal regulation, (60), 105
Hormone action, (57), 25
Hormone precursor, (55), 107
Hormone regulation, (59), 57; (60), 217
Human chorionic gonadotrophin, (56), 165; (60), 55; (60), 243
Human chorionic gonadotrophin, deglycosylated, (57), 17
Human chorionic somatomammotropin, (60), 217
Hybridization, (55), 193; (59), 165
Hybridization, in situ, (56), 29
Hybrid type oligosaccharide, (59), 1
2-Hydroxyestradiol, (56), 211
Hydroxyflutamide, (56), 211
17α-Hydroxylase cytochrome *P*-450, (59), 249
17α-Hydroxylase deficiency, (59), 249
Hyperglycemia, (55), 193
Hyperprolactinemia, (58), 167
Hypertrophy, (57), 179
Hypothyroid, (56), 271
Hyt / +, (56), 271
Hyt / hyt, (56), 271

Ictalurus melas, (60), 163
Immune complex, (57), 261
Immunocytochemistry, (55), 219
Immunoneutralization, (58), 263
Immunoreactivity, (56), 71
Increased affinity for DNA, (56), 245
Incubation, in vitro, (57), 225
Indomethacin, (58), 85
Inhibin, (55), 101; (56), 35; (58), 1; (58), 161; (59), 179; (60), 243
Inhibin, development, (58), 263
Inhibin secretion, (59), 255
Inhibitor-1, (55), 1; (60), 61
Inositol phosphate, (56), 107; (57), 107
Inositol trisphosphate, (58), 43
Insulin, (55), 33; (55), 71; (60), 109; (60), 239
Insulin-like growth factor I, (55), 33; (55), 101; (59), 93; (59), 125
Insulin-like growth factor, receptor, (56), 235
Insulin receptor, (56), 255; (58), 167
Insulin release, (56), 219; (57), 41; (59), 83; (60), 211
Insulin resistance, (58), 167
Insulin sensitivity, (60), 31
Interferon, (58), 109
Interferon-γ, (58), 129
Interleukin-2, (55), 253
Interleukin-1, (58), 221
Intracellular messenger, (59), 27
Iodoamino acid, high performance liquid chromatography, (59), 111
Iodothyronine deiodinase, (55), 149; (55), 159
Iron uptake, (57), 225
Irradiation, (58), 51
3-Isobutyl-1-methylxanthine, (58), 155
Isoproterenol, (55), 1; (59), 171; (60), 87

Juvenile hormone, (57), 251

Kallikrein, (55), 21; (56), 63; (60), 225
Kaurenol, (57), 149

α-Lactalbumin, (58), 183
Lactation, (60), 15
Lactotroph, (55), 219
Leydig $\times$ adrenal intraspecific cell hybrid, (60), 169
Leydig cell, (55), 87; (56), 133; (56), 171; (59), 221; (60), 55
Leydig cell differentiation, (58), 283
α-Linolenyl-coenzyme A, (56), 123
Lipoidal estrogen, (60), 7
Lipolysis, (58), 85
Lipopolysaccharide, half-life, (56), 91
5-Lipoxygenase, (57), 115
Liver, (58), 17; (58), 25
Liver, rat, (55), 149; (55), 159
L(iver)-type lipase, (57), 7
Luteal membrane, ovine, (59), 135
Luteinizing hormone, (56), 35; (57), 33; (59), 101; (60), 127
Luteinizing hormone biosynthesis, (59), 1
Luteinizing hormone release, (55), 131; (57), 157
Luteinizing hormone-releasing hormone, (55), 95; (55), 173
Luteinizing hormone-releasing hormone receptor, (58), 257
Luteolysis, (57), 81
17,20-Lyase deficiency, (59), 249
Lymnaea, (60), 23

Malic enzyme, (55), 71
Mammary cancer cell, human, (58), 231
Mammary carcinoma, (58), 213
Mammary carcinoma cell, (56), 157
Mammary gland, (58), 183; (60), 15

Manduca sexta, (57), 251; (59), 67
Manganese, (59), 77
Median eminence, (56), 11
Melanoma, (57), 69
Melatonin, (57), 131; (60), 119
Membrane, (56), 199
Membrane fluidity, (59), 101
Mesencephalic reticular formation, (57), 77
Messenger RNA, (55), 115
Messenger RNA induction, (59), 241
6-Methoxybenzoxazolinone, (57), 131
Methylandrostenediol, (55), 15
Methyltrienolone (R1881), (57), 205
Microsomal fraction, (55), 149; (55), 159
Mitochondria, (55), 141
Mitochondrial F_1 ATPase, β-subunit, (59), 155
Mitogenesis, (55), 253
Mitogen-regulated protein, (56), 179
Modulation domain, (56), 245
Molecular endocrinology, (59), 147
Molluscan neuropeptide, behavior, (60), 23
Monensin, (58), 9
Monoclonal antibody, (56), 245; (57), 261; (60), 177
Monodeiodination, assay, (56), 99
Monoiodotyrosine, formation, (59), 111
Morphometry, (56), 219
Moulting hormone, (57), 239
Mutant *P*-$450_{17\alpha}$ gene, (59), 249
Myosin light chain kinase, (60), 71

Nb2 lymphoma, (55), 253
Nephrectomy, (56), 91
Neuron, (58), 73
8-(*N*,*N*-diethylamino)-octyl-3,4,5-trimethoxybenzoate (TMB-8), (60), 199
Northern blot, (55), 21
Nucleus caudatus, (57), 77

ob/ob mouse, (59), 187
Oligodeoxynucleotide, (58), 275
Oncogene, (59), 161
Oocyte maturation, (56), 115
Osteoblast, (55), 77
Ovarian follicle, (58), 93
Ovarian follicular fluid, (58), 221
Ovarian follicular steroidogenesis, (56), 211
Ovarian granulosa cell, (57), 149; (59), 93
Ovarian membrane, (56), 205
Ovariectomy, (55), 115; (55), 131; (58), 149
Ovary, (55), 209; (57), 7; (59), 195
Overshoot, (59), 213
Oviduct, (60), 95
Ovine fetus, (57), 215
Ovulation induction, (58), 221
Oxytocin, (56), 149

Pale and dark secretory granules, (56), 219
Palmitoyl-coenzyme A, (56), 123
Pancreatic B cell, (56), 219; (60), 109
Pancreatic islet, (59), 83
Paracrine control, (58), 65
Paracrine effect, (57), 51
Paracrine regulation, (55), 209
Parathyroid hormone, (59), 155
PC12 cells, extracellular matrix, (58), 113
Peptide mapping, silica gel, (59), 111
Perfused rat pancreas, (56), 219
Perifusion, (60), 151
Pertussis toxin, (59), 171
Phenol red, (57), 169
Phorbol 12,13-dibutyrate, (55), 95
Phorbol diester, (56), 157
Phorbol ester, (55), 53; (55), 253; (56), 165; (56), 171; (58), 243; (58), 287; (59), 125; (59), 195; (60), 137
Phorbol myristate acetate, (60), 43
Phosphatidylinositol, (55), 203
Phosphoinositide, (57), 163
Phosphoinositide breakdown, (58), 199
Phosphoinositide hydrolysis, (58), 175
Phospholipase C, (56), 107; (58), 43
Phosphoprotein phosphatase, (55), 1; (60), 61
Pituitary, (55), 21; (55), 45; (57), 33; (57), 157; (58), 149; (59), 233; (60), 1; (60), 151
Pituitary anterior, (58), 257
Pituitary cell, (56), 53
Pituitary cell, sheep, (58), 243
Pituitary gland, (56), 29
Pituitary gland intermediate lobe, (55), 115
Pituitary hormone, (55), 107
Pituitary hormone secretion, (57), 107
Pituitary, posterior, (57), 231
Pituitary tumor, (58), 137
Pituitary tumor cell, (58), 175
Placenta, (56), 179
Placental lactogen, (55), 45
Placental protein 5, (60), 137
Plasminogen activator inhibitor type 1, (60), 43
Polyadenylated RNA, (55), 193
Polypeptide hormone evolution, (57), 1
Porcine follitropin β subunit cDNA, (55), 107
Postnatal development, (57), 33
Post-translational processing, (58), 103
Potassium, (59), 165
Pregnancy, (55), 45; (58), 109; (60), 15
Pregnant mare serum gonadotrophin, (58), 1
Pregnenolone, (59), 221
Progesterone, (56), 35; (56), 149; (56), 165; (57), 77; (57), 81; (58), 43; (59), 135; (59), 213
Progesterone receptor, (57), 169
Progesterone synthesis, (55), 61
Prohormone expression, (58), 31
Prolactin, (55), 21; (55), 233; (56), 71; (57), 169; (58), 17; (58), 137; (59), 13; (60), 225
Prolactin-like protein, MRP/PLF, (56), 179
Prolactinoma, (60), 225
Prolactin, receptor, (58), 25

Prolactin secretion, (58), 175
Promoter, (58), 279
Pro-opiomelanocortin, (58), 31
Pro-opiomelanocortin production, (55), 167
Propionylthiouracil-Sepharose, (55), 159
Prostaglandin, (60), 137
Prostaglandin E_2, (55), 95; (56), 11; (57), 87; (58), 85
Prostaglandin $F_{2\alpha}$, (57), 81; (58), 43; (58), 109
Prostate, (58), 287
Prostate cancer, (56), 141
Prostate cancer, human, (55), 167
Prostate-specific antigen, human, (56), 63
Prostate tumor cell, (60), 101
Prostate, ventral, (56), 21
Prostatic secretion, (56), 63
Protein alkylation, (55), 87
Protein kinase activation, (60), 217
Protein kinase C, (55), 53; (56), 107; (56), 171; (58), 287; (60), 71; (60), 127
Protein kinase, cyclic AMP-dependent, (55), 243
Protein phosphorylation, (55), 243; (60), 71
Protein structure, (57), 261
Protein synthesis, (55), 141; (57), 187
Prothoracic gland, (57), 251; (59), 67
Prothoracicotrophic hormone, (57), 251
Psychosine, (60), 127

Radioimmunoassay, (55), 21
Rat growth hormone gene 5′ flanking sequences, (57), 123
Receptor, (55), 33; (58), 17; (59), 13; (60), 109
Receptor desensitization, (56), 199
Receptor recycling, (57), 93
Receptor regulation, (60), 87
Receptor synthesis, (57), 93
Ren-1, (56), 271
Renin, (56), 91
Reverse hemolytic plaque assay, (57), 33; (57), 41
mRNA, (56), 255; (58), 275; (59), 205
mRNA accumulation, comparative, (59), 57
mRNA sequence, (59), 241
Rotation culture, (59), 117

Sarcoplasmic reticulum, (55), 1
Second messenger, (58), 43
Secretogranin II/GP87, (60), 151
Secretory granule, (55), 131
Self-priming effect, (59), 213
Seminal vesicle, (59), 57
Seminiferous tubule, (57), 225
Seminiferous tubule, adult, (59), 179
Seminiferous tubule damage, (60), 243
Sertoli cell, (55), 33; (55), 101; (58), 51; (58), 65; (58), 253; (59), 255
Shionogi, (58), 207; (58), 213
Skin fibroblast, (57), 205
Smooth muscle contraction, vascular, (60), 71
Sodium, (56), 11
Somatomedin C, (55), 61
Somatostatin, (57), 41
Somatotroph, (59), 233
Somatotrophic receptor, (57), 93
Somatotropin, (59), 47
Somatotropin releasing hormone, (59), 47
Spermatogenesis, (55), 33; (58), 51
Sphingosine, (60), 127
Stearate, (57), 115
Steroid hormone, (58), 93
Steroid hormone action, (59), 241
Steroid hydroxylase, (55), 15
Steroid metabolism, (55), 203
Steroidogenesis, (55), 87; (55), 121; (57), 149; (57), 187; (58), 199; (59), 125; (60), 61; (60), 127; (60), 189
Steroidogenesis inhibitor, (60), 55
Steroidogenesis regulation, (60), 169
Steroid production, (59), 221
Steroid receptor, (59), 161
Sterol carrier protein$_2$, (56), 133
Streptozotocin, (59), 83
Superfusion system, (55), 173
Superovulation, (57), 7
SVS VI, androgen dependent, (59), 57
Swainsonine, (59), 1
Synaptosome, (57), 77
Synergism, (56), 271

Tamoxifen, agonist and inhibiting effects, (57), 179
3T3 cell, (56), 179
T47D cell, (58), 9
Testicular cell communication, (58), 283
Testicular fluid, (59), 221
Testicular interstitial fluid, (60), 243
Testis, (55), 33; (55), 53; (55), 121; (57), 51; (57), 61; (58), 51; (58), 65; (59), 147
Testis, human, (58), 221
Testosterone, (55), 53; (56), 171; (59), 179; (60), 119; (60), 243
12-*O*-Tetradecanoylphorbol 13-acetate, (57), 87
Thyrocyte/T cell hybridoma, human, (60), 233
Thyroglobulin, (56), 227
Thyroglobulin, iodination, (59), 117
Thyroglobulin, structure, function, (57), 101
Thyroid, (58), 129; (58), 279; (59), 27
Thyroid cell culture, porcine, (55), 243
Thyroid hormone, (55), 149; (55), 159; (58), 191
Thyroid hormone deiodination, (58), 73
Thyroid hormone receptor, (56), 263
Thyroid hormone receptor-associated factor, (57), 123
Thyroid hormone, synthesis, (59), 117
Thyroid hormone synthesis, mechanism, (57), 101
Thyroid, mouse, (59), 111
Thyroid-stimulating hormone, (58), 279; (60), 233
Thyroliberin, (58), 287
Thyrotrophin, (56), 227; (58), 129; (59), 27; (59), 117; (60), 239
Thyrotrophin α-subunit mRNA, (60), 1
Thyrotrophin β-subunit mRNA, (60), 1
Thyrotrophin releasing hormone, (56), 53; (56), 107; (58), 287
Thyroxine 5′-deiodinase, (56), 227

Thyroxine metabolism, (56), 99
Tissue specificity, (59), 241
Tissue-type plasminogen activator, (56), 1
Transcription, (60), 239
Transferrin synthesis, (57), 225
Transforming growth factor β, (58), 161; (60), 101; (60), 189
Triiodothyronine, (55), 141; (56), 227; (60), 1
Triiodothyronine nuclear receptor, (58), 73
Triiodothyronine receptor, (58), 253
L-Triiodothyronine uptake, (58), 191
Trophoblast, (56), 165; (58), 109
[D-Trp^6]Luteinizing hormone releasing hormone ethylamide, (56), 141
TSH, (55), 243
Tumor necrosis factor α, (58), 129
U937, (60), 43
Up-regulation, (57), 205
Uterotropic agent, (57), 131

Vanadate, (57), 87
Vasoactive intestinal polypeptide, (60), 211
Vasopressin receptor, V_1, (58), 199
Virazole, (55), 183
Vitamin D, (55), 77; (60), 145

Western blot, (55), 21

Xenobiotic metabolizing enzyme, (60), 105

Zonal centrifugation, (56), 99

Molecular and Cellular Endocrinology, 60 (1988) 256–266
Elsevier Scientific Publishers Ireland, Ltd.

Author Index to Volumes 55–60 (1988)

Adams, J.B., Phillips, N.S. and Hall, R.
Metabolic fate of estradiol in human mammary cancer cells in culture: estrogen sulfate formation and cooperativity exhibited by estrogen sulfotransferase (58) 231
Adams, J.B., see Martyn, P. (60) 7
Adashi, E.Y., Resnick, C.E., Croft, C.S., May, J.V. and Gospodarowicz, D.
Basic fibroblast growth factor as a regulator of ovarian granulosa cell differentiation: a novel non-mitogenic role (55) 7
Ahrén, K.E.B., see Sender Baum, M.G. (60) 127
Åkerström, G., see Johansson, H. (59) 77
Alila, H.W., see Davis, J.S. (58) 43
Allan, C.J., see Hussin, A.H. (55) 203
Allen, W.R., see Erickson, G.F. (60) 177
Alvarez-Azaustre, E., see Nilsen-Hamilton, M. (56) 179
Anand-Srivastava, M.B.
Adenosine interaction with adenylate cyclase in rat posterior pituitary (57) 231
Anderson, C.M. and Mendelson, C.R.
Developmental and hormonal regulation of cholesterol side chain cleavage cytochrome *P*-450 in the fetal rabbit testis (55) 121
Andersson, G., see Husman, B. (59) 13
Andreasen, P.A., see Lund, L.R. (60) 43
Anis, Y., see Zisapel, N. (60) 119
Antonicelli, F., see Lambert, B. (55) 183
Aranda, A., see Yusta, B. (58) 191
Arnstein, H.R.V., see Setchenska, M.S. (56) 199
Arroub, M., see Langlois, D. (58) 199
Asem, E.K. and Tsang, B.K.
The effect of kaurenol on steroidogenesis and cyclic adenosine monophosphate production in rat granulosa cells (57) 149
Ashcroft, S.J.H., see Lewis, C.E. (57) 41
Attramadal, A., see Gordeladze, J.O. (58) 287

Badr, M. and Pelletier, G.
High resolution autoradiographic localization of LHRH receptors in the rat anterior pituitary using fixed sections (58) 257
Balfour, N.J., see Franklyn, J.A. (60) 1
Barden, N., see Pfeiffer, A. (55) 115
Barenton, B., see Blanchard, M.M. (56) 235
Barletta, A., see Goglia, F. (55) 141
Barnea, A., Colombani-Vidal, M., Cho, G. and Hartter, D.E.
Evidence for synergism between copper and prostaglandin E_2 in stimulating the release of gonadotropin-releasing hormone from median eminence explants: Na^+/Cl^- requirements (56) 11
Barnett, C.A. and Pritchett, E.L.
Detection of corticosteroid type I binding sites in heart (56) 191
Bayard, F., see Guilbaud, N. (56) 157
Beck, C.A., see Conrad-Kessel, W.J. (57) 25
Begeot, M., see Langlois, D. (58) 199
Bégin, D., Luthy, I.A. and Labrie, F.
Adrenal precursor C^{19} steroids are potent stimulators of growth of androgen-sensitive mouse mammary carcinoma Shionogi cells in vitro (58) 213
Bégin-Heick, N. and Coleman, D.L.
Effect of the genetic background and specific mutation on adenylate cyclase activity in obesity syndromes (59) 171
Bégin-Heick, N. and Welsh, J.E.
The regulation of adenylate cyclase in liver membranes of lean and obese mice (59) 187
Bélanger, A., see Lacoste, D. (56) 141
Bellemare, G., see Chapdelaine, P. (56) 63
Belles-Isles, M., see Morel, G. (55) 219
Benahmed, M., see Sordoillet, C. (58) 283
Berchuck, A., MacDonald, P.C., Milewich, L. and Casey, M.L.
Epidermal growth factor, vanadate, and 12-*O*-tetradecanoylphorbol-13-acetate inhibit growth and stimulate prostaglandin E_2 production in A431 cells (57) 87
Berger, P.J., see Sweat, F.W. (57) 131
Berger, U., see Colston, K.W. (60) 15
Berkovitz, G.D., see Gad, Y.Z. (57) 205
Berkowitz, A.S., see Wun, W.-S.A. (55) 173
Bernier, M., see Penhoat, A. (60) 55
Bertrand, J., see Guillaumot, P. (58) 17
Bertrand, J., see Guillaumot, P. (58) 25
Besnard, P., see Jousset, V. (59) 165
Bethea, C.L. and Borg, T.K.
PC12 cell aggregation and dopamine production on EHS-derived extracellular matrix (58) 113
Bhasker, C.R., see Brownie, A.C. (55) 15
Billiau, A., see Verhoeven, G. (57) 51
Billig, H. and Rosberg, S.
Evidence for A_2 adenosine receptor-mediated effects on adenylate cyclase activity in rat ovarian membranes (56) 205
Bjøro, T., see Torjesen, P.A. (56) 107
Blanchard, M.M., Barenton, B., Sullivan, A., Foster, B., Guyda, H.J. and Posner, B.I.
Characterization of the insulin-like growth factor (IGF) receptor in K562 erythroleukemia cells; evidence for a biological function for the type II IGF receptor (56) 235
Boileau, G., see Zollinger, L. (58) 31
Bollenbacher, W.E., see Watson, R.D. (57) 251
Bolt, J., see Schuurmans, A.L.G. (60) 101

Bonanou-Tzedaki, S.A., see Setchenska, M.S. (56) 199
Borg, L.A.H., Westberg, M. and Grill, V.
The priming effect of glucose on insulin release does not involve redistribution of secretory granules within the pancreatic B-cell (56) 219
Borg, T.K., see Bethea, C.L. (58) 113
Borgundvaag, B. and George, S.R.
Estrogen regulation of rat anterior pituitary adenylate cyclase (59) 35
Bourne, G.A., Das, S. and Fahmy, N.W.
Sex differences in the extracellular Ca^{2+}-independent release of LH and FSH (58) 149
Bourne, G.A.
Cyclic AMP indirectly mediates the extracellular Ca^{2+}-independent release of LH (58) 155
Bovenberg, R.A.L., see Lips, C.J.M. (57) 1
Boye, N., Laurberg, P. and Jørgensen, P.L.
Partial purification of rat kidney iodothyronine-5′-deiodinase by zonal centrifugation (56) 99
Bramley, T.A. and Menzies, G.S.
Subcellular fractionation of the ovine corpus luteum: association of progesterone with ovine luteal membranes? (59) 135
Brandenburg, D., see Heidenreich, K.A. (56) 255
Brenner, R.R., see Mandon, E.C. (56) 123
Breton, M.F., Haye, B., Omri, B., Jacquemin, C. and Pavlovic-Hournac, M.
Decrease in cAMP-dependent protein kinase activity in suspension cultures of porcine thyroid cells exposed to TSH or forskolin (55) 243
Brighenti, L., see Ottolenghi, C. (60) 163
Brown, T.R., see Gad, Y.Z. (57) 205
Brownie, A.C., Bhasker, C.R. and Waterman, M.R.
Levels of adrenodoxin, NADPH-cytochrome *P*-450 reductase and cytochromes *P*-$450_{11\beta}$, *P*-450_{21}, *P*-450_{scc}, in adrenal zona fasciculata-reticularis tissue from androgen-treated rats (55) 15
Burger, H.G., see Zhang, Z. (56) 35
Burger, H.G., see Zhang, Z. (58) 161
Bützow, R., Lehto, V.-P., Ritvos, O., Ranta, T. and Seppälä, M.
Regulation of the production of placental protein 5 by human endometrial stromal cells; the role of prostaglandins E_2 and $F_{2\alpha}$ (60) 137
Bützow, R., see Ritvos, O. (56) 165

Cabrera, R., Mayor, P., Fernández-Ruiz, J. and Calle, C.
Insulin binding and action on adipocytes from female rats with experimentally induced chronic hyperprolactinemia (58) 167
Cailleau, J., see Verhoeven, G. (57) 51
Cailleau, J., see Verhoeven, G. (57) 61
Calle, C., see Cabrera, R. (58) 167
Capponi, A.M., see Rossier, M.F. (57) 163
Carson, R.S., see Zhang, Z. (56) 35
Carson, R.S., see Zhang, Z. (58) 161
Carter, D.B., see Schifman, A.L. (59) 57
Casey, M.L., see Berchuck, A. (57) 87
Cathiard, A.-M., see Durand, P. (57) 215
Cattini, P.A., Kardami, E. and Eberhardt, N.L.
Effect of butyrate on thyroid hormone-mediated gene expression in rat pituitary tumour cells (56) 263
Cattini, P.A., Klassen, M. and Nachtigal, M.
Regulation of human chorionic somatomammotropin gene expression in rat pituitary tumour cells (60) 217
Chabot, J.-G., see Morel, G. (55) 219
Chambaz, E.M., see Rainey, W.E. (60) 189
Chanat, E., see Sion, B. (60) 151
Chantoux, F., see Courtin, F. (58) 73
Chao, J. and Chao, L.
Identification of latent tissue kallikrein, prolactin and growth hormone secretion in GH_3 pituitary cells using modified radioimmunoassays (55) 21
Chao, L., see Chao, J. (55) 21
Chapdelaine, P., Potvin, C., Ho-Kim, M.-A., Larouche, L., Bellemare, G., Tremblay, R.T. and Dubé, J.Y.
Androgen regulation of canine prostatic arginine esterase mRNA using cloned cDNA (56) 63
Chatterjee, N.K. and Nejman, C.
Insulin mRNA content in pancreatic beta cells of coxsackievirus B4-induced diabetic mice (55) 193
Chauhan, A., see Iyer, R.B. (60) 61
Chauvin, M.A., see Sordoillet, C. (58) 283
Chen, H.T. and Pittman, C.S.
Effect of estrogen on the expression of a cell-surface antigen associated with rat anterior pituitary somatotrophs (59) 233
Chen, H.T.
Sexual dimorphism of pituitary gonadotropes during postnatal development in the rat (57) 33
Cho, G., see Barnea, A. (56) 11
Christophe, D., see Gerard, C.M. (60) 239
Ciaraldi, T.P.
The role of adenosine in insulin action coupling in rat adipocytes (60) 31
Clark, A., see Lewis, C.E. (57) 41
Clarke, L., see Robertson, D.M. (58) 1
Clements, J.A., see Fuller, P.J. (60) 225
Cochet, C., see Rainey, W.E. (60) 189
Cohen, H., see Guillaumot, P. (58) 17
Cohen, H., see Guillaumot, P. (58) 25
Coleman, D.L., see Bégin-Heick, N. (59) 171
Coleoni, A., see DeGroot, L.J. (57) 123
Colombani-Vidal, M., see Barnea, A. (56) 11
Colston, K.W., Berger, U., Wilson, P., Hadcocks, L., Naeem, I., Earl, H.M. and Coombes, R.C.
Mammary gland 1,25-dihydroxyvitamin D_3 receptor content during pregnancy and lactation (60) 15
Combest, W.L., see Meller, V.H. (59) 67
Condé, D., see Massart, C. (56) 227
Condon, W.A., see Litch, S.J. (57) 81
Conlon, J.M., see Göke, R. (60) 211
Conn, P.M., see Gorospe, W.C. (59) 101
Conn, P.M., see Harris Wooge, C. (56) 41
Conn, P.M., see Misro, M.M. (55) 131
Conn, P.M., see Valadez, F.J. (56) 81

Conrad-Kessel, W.J., Beck, C.A. and Garner, C.W.
Stimulation of glucose transport in cultured uterine cells by rat and rabbit uterine extracts (57) 25
Conti, M., Culler, M.D. and Negro-Vilar, A.
Adenosine receptor-dependent modulation of inhibin secretion in cultured immature rat Sertoli cells (59) 255
Coombes, R.C., see Colston, K.W. (60) 15
Cooper, G.J.S., see Lewis, C.E. (57) 41
Corradino, R.A., see Davis, J.S. (58) 43
Courtin, F., Chantoux, F. and Francon, J.
Thyroid hormone metabolism in neuron-enriched primary cultures of fetal rat brain cells (58) 73
Craig Jordan, V., see Welshons, W.V. (57) 169
Crine, P., see Zollinger, L. (58) 31
Croft, C.S., see Adashi, E.Y. (55) 7
Croze, F., Walker, A. and Friesen, H.G.
Stimulation of growth of Nb2 lymphoma cells by interleukin-2 in serum-free and serum-containing media (55) 253
Culler, M.D. and Negro-Vilar, A.
Passive immunoneutralization of endogenous inhibin: sex-related differences in the role of inhibin during development (58) 263
Culler, M.D., see Conti, M. (59) 255
Culler, M.D., see Valenca, M.M. (55) 95

Daly, R.J., see Manning, D.L. (59) 205
Damante, G. and Rapoport, B.
TSH stimulates the activity of the c-*fos* promoter in FRTL5 rat thyroid cells (58) 279
Danø, K., see Lund, L.R. (60) 43
Darbeida, H., see Penhoat, A. (60) 55
Darling, D., see DeGroot, L.J. (57) 123
Das, S., see Bourne, G.A. (58) 149
Davies, T.F., see Martin, A. (60) 233
Davis, J.S., Alila, H.W., West, L.A., Corradino, R.A. and Hansel, W.
Acute effects of prostaglandin $F_{2\alpha}$ on inositol phospholipid hydrolysis in the large and small cells of the bovine corpus luteum (58) 43
De Geyter, C., see Khan, S.A. (58) 221
De Gómez Dumm, I.N.T., see Mandon, E.C. (56) 123
De Greef, W.J., see Jansen, H. (57) 7
DeGroot, L.J., Stillabower, G.M., Ichikawa, K., Coleoni, A. and Darling, D.
Binding of thyroid hormone receptor-associated factors to rGH gene 5′ flanking sequences (57) 123
De Jong, F.H., see Toebosch, A.M.W. (55) 101
Dekel, N., Galiani, D. and Sherizly, I.
Dissociation between the inhibitory and the stimulatory action of cAMP on maturation of rat oocytes (56) 115
De Kretser, D.M., see Gonzales, G.F. (59) 179
De Kretser, D.M., see Robertson, D.M. (58) 1
De Paus, R.A., see Toebosch, A.M.W. (55) 101
Des Parois, L., see Zollinger, L. (58) 31
Dictus, W.J.A.G. and Ebberink, R.H.M.
Structure of one of the neuropeptides of the egg-laying hormone precursor of *Lymnaea* (60) 23
Di Pauli, R., see Khan, S.A. (58) 221
Dorrington, J.H., see Lobb, D.K. (55) 209
Drake, R.L., see McHugh, K.M. (55) 71
Dubé, J.Y., see Chapdelaine, P. (56) 63
Duchesne, R., see Simard, J. (55) 233
Dulbecco, R., see Erickson, G.F. (60) 177
Dumont, J.E., see Gerard, C.M. (60) 239
Durand, P., Cathiard, A.-M., Naaman, E. and Saez, J.M.
De novo synthesis of cholesterol by ovine fetal and neonatal adrenocortical cells (57) 215
Durand, P., see Penhoat, A. (60) 55
Duval, J., see Sion, B. (60) 151

Earl, H.M., see Colston, K.W. (60) 15
Ebberink, R.H.M., see Dictus, W.J.A.G. (60) 23
Eberhardt, N.L., see Cattini, P.A. (56) 263
Edan, G., see Massart, C. (56) 227
Eizirik, D.L., see Strandell, E. (59) 83
Endo, T., see Haraguchi, K. (59) 111
Erickson, G.F., Magoffin, D.A., Unger, M., Allen, W.R. and Dulbecco, R.
A monoclonal antibody recognizes a 39 kDa protein expressed in atretic granulosa cells (60) 177
Ericson, L.E., see Johanson, V. (59) 27

Fabbri, E., see Ottolenghi, C. (60) 163
Fahmy, N.W., see Bourne, G.A. (58) 149
Faye, J.C., see Guilbaud, N. (56) 157
Fernández-Ruiz, J., see Cabrera, R. (58) 167
Finaz, C., see Lefèvre, A. (60) 169
Findlay, J.K., see Hutchinson, L.A. (55) 61
Findlay, J.K., see Zhang, Z. (58) 161
Flint, A.P.F., Lamming, G.E. and Stewart, H.J.
A role for interferons in the maternal recognition of pregnancy (58) 109
Follea, N., see Pelletier, G. (56) 29
Folliot, R., see Pinon-Lataillade, G. (58) 51
Foster, B., see Blanchard, M.M. (56) 235
Fournier, A., see Labrie, F. (58) 207
Francon, J., see Courtin, F. (58) 73
Franklyn, J.A., Wood, D.F., Balfour, N.J. and Sheppard, M.C.
Effect of triiodothyronine treatment on thyrotrophin β- and α-messenger RNAs in the pituitary of the euthyroid rat (60) 1
Friesen, H.G., see Croze, F. (55) 253
Fritz, I.B.
Summary of the 5th European Workshop on the Molecular and Cellular Endocrinology of the Testis (59) 147
Fugassa, E., see Palmero, S. (58) 253
Fuller, P.J., Matheson, B.A., MacDonald, R.J., Verity, K. and Clements, J.A.
Kallikrein gene expression in estrogen-induced pituitary tumors (60) 225
Fuller, P.J.
Steroid receptors as oncogenes? (59) 161
Fullerton, M., see Jelbart, M.E. (55) 167
Funder, J., see Jelbart, M.E. (55) 167
Funder, J.W., see Quirk, S.J. (58) 183

Gad, Y.Z., Berkovitz, G.D., Migeon, C.J. and Brown, T.R.
Studies of up-regulation of androgen receptors in genital skin fibroblasts (57) 205
Galiani, D., see Dekel, N. (56) 115
Gannell, J.E., see Quirk, S.J. (58) 183
Garel, J.-M., see Jousset, V. (59) 165
Garner, C.W., see Conrad-Kessel, W.J. (57) 25
Garnier, D.H., see Pinon-Lataillade, G. (58) 51
Gautvik, K.M., see Gordeladze, J.O. (58) 287
Gavioli, M.E., see Ottolenghi, C. (60) 163
Gehring, U. and Segnitz, B.
Modulation of DNA binding of glucocorticoid receptors (56) 245
Georg, B., see Lund, L.R. (60) 43
George, S.R., see Borgundvaag, B. (59) 35
Gerard, C.M., Lefort, A., Libert, F., Christophe, D., Dumont, J.E. and Vassart, G.
Transcriptional regulation of the thyroperoxydase gene by thyrotropin and forskolin (60) 239
Gilbert, L.I., see Meller, V.H. (59) 67
Gilmore, P.R., see Heidenreich, K.A. (56) 255
Goglia, F., Liverini, G., Lanni, A. and Barletta, A.
Mitochondrial DNA, RNA and protein synthesis in normal, hypothyroid and mildly hyperthyroid rat liver during cold exposure (55) 141
Göke, R. and Conlon, J.M.
Binding sites for peptide-histidine-isoleucine (PHI) on rat insulinoma-derived RINm5F cells (60) 211
Gonzales, G.F., Risbridger, G.P. and De Kretser, D.M.
In vitro synthesis and release of inhibin in response to FSH stimulation by isolated segments of seminiferous tubules from normal adult male rats (59) 179
Gordeladze, J.O., Rui, H., Attramadal, A., Tveter, K., Gautvik, K.M. and Purvis, K.
Distribution of Thyroliberin (TRH)- and 12-*O*-tetradecanoylphorbol 13-acetate (TPA)-activated adenylyl cyclase in normal and neoplastic tissue with special reference to the prostate (58) 287
Gore-Langton, R.E.
Cyclosporine differentially affects estrogen and progestin synthesis by rat granulosa cells in vitro (57) 187
Gorospe, W.C. and Conn, P.M.
Restoration of the LH secretory response in desensitized gonadotropes (59) 101
Gospodarowicz, D., see Adashi, E.Y. (55) 7
Govindan, M.V., see Pelletier, G. (56) 29
Green, C.D., see Manning, D.L. (59) 205
Grill, V., see Borg, L.A.H. (56) 219
Grootegoed, J.A., see Oonk, R.B. (55) 33
Grootegoed, J.A., see Toebosch, A.M.W. (55) 101
Gross, K.W., see McGowan, R.A. (56) 271
Guilbaud, N., Pichon, M.F., Faye, J.C., Bayard, F. and Valette, A.
Modulation of estrogen receptors by phorbol diesters in human breast MCF-7 cell line (56) 157
Guillaumot, P., Sabbagh, I., Bertrand, J. and Cohen, H.
Variations of liver prolactin receptors during pregnancy in normal rats and in the genetically hypoprolactinemic IPL nude rat (58) 25
Guillaumot, P., Sabbagh, I., Bertrand, J. and Cohen, H.
Variations of liver prolactin receptors during the estrous cycle in normal rats and in the genetically hypoprolactinemic IPL nude rat (58) 17
Guillaumot, P., see Lefèvre, A. (60) 169
Gustafsson, J.-Å., see Husman, B. (59) 13
Guyda, H.J., see Blanchard, M.M. (56) 235
Gylfe, E., see Johansson, H. (59) 77

Hachisu, T., see Hattori, M.-a. (57) 17
Hadcocks, L., see Colston, K.W. (60) 15
Hakeda, Y., see Ishizuka, S. (55) 77
Hall, R., see Adams, J.B. (58) 231
Hallin, P., see Khan, S.A. (58) 221
Hamilton, R.T., see Nilsen-Hamilton, M. (56) 179
Hammond, J.M., see Spicer, L.J. (56) 211
Hansel, W., see Davis, J.S. (58) 43
Hansen, P.J., see Helmer, S.D. (58) 103
Haraguchi, K., Endo, T., Onaya, T., Sho, K., Ohmiya, Y. and Kondo, Y.
Evidence for a preferential iodination site within the thyroglobulin molecule (59) 111
Harris, M.M., see Schifman, A.L. (59) 57
Harris, S.E., see Schifman, A.L. (59) 57
Harris Wooge, C. and Conn, P.M.
Characterization of calmodulin-binding components in the pituitary gonadotrope (56) 41
Hart, G.R., Ray, K.P. and Wallis, M.
Mechanisms involved in the effects of TRH on GHRH-stimulated growth hormone release from ovine and bovine pituitary cells (56) 53
Hartter, D.E., see Barnea, A. (56) 11
Hatada, E., see Heidenreich, K.A. (56) 255
Hattori, M.-a., Hachisu, T., Shimohigashi, Y. and Wakabayashi, K.
Conformation of the β subunit of deglycosylated human chorionic gonadotropin in the interaction at receptor sites (57) 17
Hattori, M.-a., Ozawa, K. and Wakabayashi, K.
Lutropin molecules synthesized by rat gonadotroph primary cultures in the presence of swainsonine: their oligosaccharides and biological potencies (59) 1
Haug, E., see Torjesen, P.A. (56) 107
Hayashi, H., see Sho, K. (59) 117
Haye, B., see Breton, M.F. (55) 243
Haye, B., see Lambert, B. (55) 183
Hayward, S., see Robertson, D.M. (58) 1
Heidenreich, K.A., Gilmore, P.R., Brandenburg, D. and Hatada, E.
Peptide mapping on Northern blot analyses of insulin receptors in brain and adipocytes (56) 255
Heisler, S., see Morel, G. (55) 219
Helm, K., see Przylipiak, A. (57) 157
Helmer, S.D., Hansen, P.J. and Thatcher, W.W.
Differential glycosylation of the components of the bovine trophoblast protein-1 complex (58) 103
Herington, A.C., see Hutchinson, L.A. (55) 61
Herington, A.C., see Roupas, P. (57) 93
Herington, A.C., see Zhang, Z. (58) 161

Hilgenfeldt, U.
Half-life of rat angiotensinogen: influence of nephrectomy and lipopolysaccharide stimulation (56) 91
Ho-Kim, M.-A., see Chapdelaine, P. (56) 63
Hody, B., see Massart, C. (56) 227
Hoogerbrugge, J.W., see Melsert, R. (59) 221
Hoogerbrugge, J.W., see Rommerts, F.F.G. (55) 87
Höppener, J.W.M., see Lips, C.J.M. (57) 1
Hornicek, F.J., see Zakarija, M. (58) 129
Horvat, A., see Nikezić, G. (57) 77
Hruby, V.J., see Hussin, A.H. (55) 203
Huhtaniemi, I., see Nikula, H. (55) 53
Huhtaniemi, I., see Ritvos, O. (56) 165
Husman, B., Gustafsson, J.-Å. and Andersson, G.
Receptor-mediated endocytosis and degradation of bovine growth hormone in rat liver (59) 13
Hussin, A.H., Allan, C.J., Hruby, V.J. and Skett, P.
The effects of glucagon and TH-glucagon on steroid metabolism in isolated rat hepatocytes (55) 203
Hutchinson, L.A., Findlay, J.K. and Herington, A.C.
Growth hormone and insulin-like growth factor-I accelerate PMSG-induced differentiation of granulosa cells (55) 61
Hymer, W.C., see Phelps, C.J. (58) 137

Ichikawa, K., see DeGroot, L.J. (57) 123
Ikeda, K., see Ishizuka, S. (55) 77
Inoue, K., see Kondo, Y. (57) 261
Irby, D., see Robertson, D.M. (58) 1
Ishida, H. and Norman, A.W.
Demonstration of a high affinity receptor for 1,25-dihydroxyvitamin D_3 in rat pancreas (60) 109
Ishizuka, S., Kiyoki, M., Kurihara, N., Hakeda, Y., Ikeda, K., Kumegawa, M. and Norman, A.W.
Effects of diastereoisomers of 1,25-dihydroxyvitamin D_3-26,23-lactone on alkaline phosphatase and collagen synthesis in osteoblastic cells (55) 77
Isola, J.J., see Korte, J.-M. (58) 93
Iyer, R.B., Chauhan, A. and Koritz, S.B.
The stimulation by adrenocorticotropin of the phosphorylation of adrenal inhibitor-1: a possible role in steroidogenesis (60) 61
Iyer, R.B., Koritz, S.B. and Kirchberger, M.A.
A regulation of the level of phosphorylated phospholamban by inhibitor-1 in rat heart preparations in vitro (55) 1

Jackson, B.A.
Modulation of vasopressin-sensitive cyclic AMP levels by calcium in papillary collecting tubules (57) 199
Jacobsen, J., see Robertson, D.M. (58) 1
Jacquemin, C., see Breton, M.F. (55) 243
Jacquemin, C., see Lambert, B. (55) 183
Jalkanen, J., see Ritvos, O. (56) 165
Jang, Y.-J., see Nilsen-Hamilton, M. (56) 179
Jansen, H. and De Greef, W.J.
L-type lipase activity in ovaries of superovulated rats. Relation to cholesterol homeostasis (57) 7
Jansz, H.S., see Lips, C.J.M. (57) 1
Jégou, B., see Le Magueresse, B. (58) 65
Jégou, B., see Pinon-Lataillade, G. (58) 51
Jelbart, M.E., Russell, P.J., Fullerton, M., Russell, P., Funder, J. and Raghavan, D.
Ectopic hormone production by a prostatic small cell carcinoma xenograft line (55) 167
Jenkins, J.S., see Prysor-Jones, R.A. (58) 175
Johanson, V., Öfverholm, T. and Ericson, L.E.
Forskolin-induced elevation of cyclic AMP does not cause exocytosis and endocytosis in rat thyroid follicle cells in vivo (59) 27
Johansson, H., Larsson, R., Wallfelt, C., Rastad, J., Åkerström, G. and Gylfe, E.
Calcium-agonistic action of Mn^{2+} in the parathyroid cell (59) 77
Jørgensen, P.L., see Boye, N. (56) 99
Jousset, V., Besnard, P., Segond, N., Jullienne, A. and Garel, J.-M.
Potassium administration and calcitonin mRNA level in the rat (59) 165
Judd, A.M., Ross, P.C., Spangelo, B.L. and MacLeod, R.M.
Angiotensin II increases pituitary cell prolactin release and arachidonate liberation (57) 115
Jullienne, A., see Jousset, V. (59) 165

Kadota, C., Ohta, M. and Takahashi, M.
Dynamic response to follicle-stimulating hormone of secretion of progesterone by superfused rat ovarian granulosa cells (59) 213
Kagimoto, M., see Yanase, T. (59) 249
Kardami, E., see Cattini, P.A. (56) 263
Kato, Y.
Cloning and DNA sequence analysis of the cDNA for the precursor of porcine follicle stimulating hormone (FSH) β subunit (55) 107
Kelley, G., see Takuwa, Y. (60) 71
Kelly, K.F., see Manning, D.L. (59) 205
Kerr, J.B., see Sharpe, R.M. (60) 243
Khan, S.A., Schmidt, K., Hallin, P., Di Pauli, R., De Geyter, C. and Nieschlag, E.
Human testis cytosol and ovarian follicular fluid contain high amounts of interleukin-1-like factor(s) (58) 221
Kiesel, L., see Przylipiak, A. (57) 157
Kirchberger, M.A., see Iyer, R.B. (55) 1
Kishi, K., see Pinon, I. (55) 45
Kiyoki, M., see Ishizuka, S. (55) 77
Klaassen, P., see Toebosch, A.M.W. (55) 101
Klassen, M., see Cattini, P.A. (60) 217
Knecht, M.
Plasminogen activator is associated with the extracellular matrix of ovarian granulosa cells (56) 1
Knowler, J.T., see Travers, M.T. (57) 179
Kondo, T., Kondo, Y. and Ui, N.
Colorimetry of dehydroalanine residues preserved as 'lost side chains' in thyroglobulin (57) 101
Kondo, Y., Inoue, K., Kotani, T. and Ohtaki, S.
Immunoelectron microscopy of the hormonogenic sites of the thyroglobulin molecule (57) 261
Kondo, Y., see Haraguchi, K. (59) 111

Kondo, Y., see Kondo, T. (57) 101
Kondo, Y., see Sho, K. (59) 117
Koolman, J., see Lehmann, M. (57) 239
Koppold, A., see Schneider, H.-G. (58) 9
Koritz, S.B., see Iyer, R.B. (55) 1
Koritz, S.B., see Iyer, R.B. (60) 61
Korsgren, O., see Strandell, E. (59) 83
Korte, J.-M. and Isola, J.J.
An immunocytochemical study of the progesterone receptor in rabbit ovary (58) 93
Kotani, T., see Kondo, Y. (57) 261
Kramer, R.E.
Angiotensin II-stimulated changes in calcium metabolism in cultured glomerulosa cells (60) 199
Kumegawa, M., see Ishizuka, S. (55) 77
Kurihara, N., see Ishizuka, S. (55) 77

Labrie, F., Veilleux, R. and Fournier, A.
Glucocorticoids stimulate the growth of mouse mammary carcinoma Shionogi cells in culture (58) 207
Labrie, F., see Bégin, D. (58) 213
Labrie, F., see Lacoste, D. (56) 141
Labrie, F., see Simard, J. (55) 233
Labrie, F., see St-Arnaud, R. (56) 21
Lacoste, D., St-Arnaud, R., Bélanger, A. and Labrie, F.
A pure antiandrogen does not interfere with the LHRH agonist-induced blockade of testicular androgen secretion in the dog (56) 141
Laethem, R. and Zull, J.E.
The β-subunit of the bovine mitochondrial F1 ATPase specifically binds the amino terminal domain of parathyroid hormone (59) 155
Lambert, B., Haye, B., Antonicelli, F. and Jacquemin, C.
Activation of adenylate cyclase in rat fat cells promotes an increase in GTP content which controls the enzyme activity (55) 183
Lamming, G.E., see Flint, A.P.F. (58) 109
Langlois, D., Arroub, M., Saez, J.M. and Begeot, M.
Vasopressin induces breakdown of phosphoinositides in adrenal tumor Y-1 cells without a steroidogenic effect (58) 199
Lanni, A., see Goglia, F. (55) 141
Larouche, L., see Chapdelaine, P. (56) 63
Larsson, R., see Johansson, H. (59) 77
Laurberg, P., see Boye, N. (56) 99
Leclech, G., see Massart, C. (56) 227
Lee, V.W.K., see Zhang, Z. (56) 35
Lefèvre, A., Vigier, M., Guillaumot, P. and Finaz, C.
Steroidogenesis expression depends on negative control(s): analysis in Leydig × adrenal intraspecific cell hybrids (60) 169
Lefort, A., see Gerard, C.M. (60) 239
Lehmann, M. and Koolman, J.
Ecdysteroid receptors of the blowfly *Calliphora vicina*: partial purification and characterization of ecdysteroid binding (57) 239
Lehto, V.-P., see Bützow, R. (60) 137
Leidenberger, F.A., see Mukhopadhyay, A.K. (56) 171
Le Magueresse, B. and Jégou, B.
Paracrine control of immature Sertoli cells by adult germ cells, in the rat (an in vitro study). Cell–cell interactions within the testis (58) 65
Lerivray, H., Smith, J.A. and Tata, J.R.
FOSP-1 (frog oviduct-specific protein-1) gene: cloning of cDNA and induction by estrogen in primary cultures of *Xenopus* oviduct cells (59) 241
Levis, S., see Zakarija, M. (58) 129
Lewis, C.E., Clark, A., Ashcroft, S.J.H., Cooper, G.J.S. and Morris, J.F.
Calcitonin gene-related peptide and somatostatin inhibit insulin release from individual rat B cells (57) 41
Liao, N., see Pelletier, G. (56) 29
Libert, F., see Gerard, C.M. (60) 239
Lightly, E.R.T., see Walker, S.W. (57) 139
Lindström, P., see Ohlsson, L. (59) 47
Lips, C.J.M., Steenbergh, P.H., Höppener, J.W.M., Bovenberg, R.A.L., Van der Sluys Veer, J. and Jansz, H.S.
Evolutionary pathways of the calcitonin genes (57) 1
Litch, S.J. and Condon, W.A.
Interaction of hCG and Lutalyse on steroidogenesis of bovine luteal cells (57) 81
Liverini, G., see Goglia, F. (55) 141
Lobb, D.K., Skinner, M.K. and Dorrington, J.H.
Rat thecal/interstitial cells produce a mitogenic activity that promotes the growth of granulosa cells (55) 209
Logan, A.
Elevation of acidic fibroblast growth factor mRNA in lesioned rat brain (58) 275
Lord, P.G., see Manning, D.L. (59) 205
Luck, M.R.
Ovarian oxytocin and progesterone are secreted independently of one another (56) 149
Lund, L.R., Georg, B., Nielsen, L.S., Mayer, M., Danø, K. and Andreasen, P.A.
Plasminogen activator inhibitor type 1: cell-specific and differentiation-induced expression and regulation in human cell lines, as determined by enzyme-linked immunosorbent assay (60) 43
Luthy, I.A., see Bégin, D. (58) 213

Maas, J., see Pinon-Lataillade, G. (58) 51
MacDonald, P.C., see Berchuck, A. (57) 87
MacDonald, R.J., see Fuller, P.J. (60) 225
MacLeod, R.M., see Judd, A.M. (57) 115
Maddocks, S., see Sharpe, R.M. (60) 243
Maggiani, S., see Palmero, S. (58) 253
Magoffin, D.A., see Erickson, G.F. (60) 177
Mandon, E.C., De Gómez Dumm, I.N.T. and Brenner, R.R.
Long-chain fatty acyl-CoA synthetase of rat adrenal microsomes. Effect of ACTH and epinephrine (56) 123
Manning, D.L., Daly, R.J., Lord, P.G., Kelly, K.F. and Green, C.D.
Effects of oestrogen on the expression of a 4.4 kb mRNA in the ZR-75-1 human breast cancer cell line (59) 205
Mansson, P.E., see Schifman, A.L. (59) 57
Marshall, S.J., see Sandra, A. (60) 87

Martin, A., Platzer, M. and Davies, T.F.
Retention of cyclic AMP response to TSH in a cloned human thyrocyte/ T cell hybridoma (HY2-15) (60) 233
Martinović, J.V., see Nikezić, G. (57) 77
Martyn, P., Smith, D.L. and Adams, J.B.
Properties of fatty acyl-coenzyme A : estradiol-17β acyltransferase in bovine placenta microsomes (60) 7
Mason, J.I., see Rainey, W.E. (60) 189
Massart, C., Hody, B., Condé, D., Leclech, G., Edan, G. and Nicol, M.
Functional properties of human thyroid follicles cultured within collagen gel (56) 227
Matheson, B.A., see Fuller, P.J. (60) 225
Mathis, J.M., Simpson, E.R. and Prough, R.A.
Hormonal regulation of the xenobiotic metabolizing enzymes (60) 105
Matsui, N., see Yanase, T. (59) 249
May, J.V., see Adashi, E.Y. (55) 7
Mayer, M., see Lund, L.R. (60) 43
Mayor, P., see Cabrera, R. (58) 167
McGowan, R.A., Gross, K.W. and Wilson, C.M.
Effect of androgen and thyroid hormones on renin-1 messenger ribonucleic acid levels in mouse submandibular gland (56) 271
McHugh, K.M. and Drake, R.L.
Normal and diabetic malic enzyme: a biochemical comparison (55) 71
McKenzie, J.M., see Zakarija, M. (58) 129
McLachlan, R.I., see Robertson, D.M. (58) 1
Meller, V.H., Combest, W.L., Smith, W.A. and Gilbert, L.I.
A calmodulin-sensitive adenylate cyclase in the prothoracic glands of the tobacco hornworm, *Manduca sexta* (59) 67
Melsert, R., Hoogerbrugge, J.W. and Rommerts, F.F.G.
The albumin fraction of rat testicular fluid stimulates steroid production by isolated Leydig cells (59) 221
Mendelson, C.R., see Anderson, C.M. (55) 121
Mendelson, C.R., see Steinkampf, M.P. (59) 93
Menzies, G.S., see Bramley, T.A. (59) 135
Michel, E. and Parsons, J.A.
Characterization of a biotin-conjugated ovine prolactin ligand (56) 71
Migeon, C.J., see Gad, Y.Z. (57) 205
Milenković, L., see Nikezić, G. (57) 77
Milewich, L., see Berchuck, A. (57) 87
Milner, S.W., see Walker, S.W. (57) 139
Misro, M.M. and Conn, P.M.
Isolation and characterization of gonadotropin-rich secretory granules from rat: depletion by GnRH and by a high affinity agonist (55) 131
Mol, J.A., Van den Berg, T.P. and Visser, T.J.
Partial purification of the microsomal rat liver iodothyronine deiodinase. I. Solubilization and ion-exchange chromatography (55) 149
Mol, J.A., Van den Berg, T.P. and Visser, T.J.
Partial purification of the microsomal rat liver iodothyronine deiodinase. II. Affinity chromatography (55) 159
Morel, G., Chabot, J.-G., Belles-Isles, M. and Heisler, S.
Synthesis and internalization of atrial natriuretic factor in anterior pituitary cells (55) 219
Morera, A.M., see Sordoillet, C. (58) 283
Morris, J.F., see Lewis, C.E. (57) 41
Mukhopadhyay, A.K. and Leidenberger, F.A.
Effect of a tumour-promoting phorbol ester on atrial peptide-induced testosterone production and cyclic GMP accumulation by isolated mouse Leydig cells (56) 171
Mulder, E., see Schuurmans, A.L.G. (60) 101
Murphy, C.S., see Welshons, W.V. (57) 169

Naaman, E., see Durand, P. (57) 215
Nachtigal, M., see Cattini, P.A. (60) 217
Naeem, I., see Colston, K.W. (60) 15
Negro-Vilar, A., see Conti, M. (59) 255
Negro-Vilar, A., see Culler, M.D. (58) 263
Negro-Vilar, A., see Valenca, M.M. (55) 95
Nejman, C., see Chatterjee, N.K. (55) 193
Nicol, M., see Massart, C. (56) 227
Nielsen, L.S., see Lund, L.R. (60) 43
Nieschlag, E., see Khan, S.A. (58) 221
Nikezić, G., Horvat, A., Milenković, L. and Martinović, J.V.
Ca^{2+} uptake by rat brain region synaptosomes following in vivo administration of ovarian steroids (57) 77
Nikula, H. and Huhtaniemi, I.
Gonadotropin-releasing hormone agonist activates protein kinase C in rat Leydig cells (55) 53
Nilsen-Hamilton, M., Jang, Y.-J., Alvarez-Azaustre, E. and Hamilton, R.T.
Regulation of the production of a prolactin-like protein (MRP/PLF) in 3T3 cells and in the mouse placenta (56) 179
Noël, G., see Zollinger, L. (58) 31
Norlund, R., see Ohlsson, L. (59) 47
Norman, A.W., see Ishida, H. (60) 109
Norman, A.W., see Ishizuka, S. (55) 77

Öfverholm, T., see Johanson, V. (59) 27
Ohlsson, L., Lindström, P. and Norlund, R.
An ultrastructural and functional characterization of rat somatotrophs highly enriched on a continuous Percoll density gradient (59) 47
Ohmiya, Y., see Haraguchi, K. (59) 111
Ohmiya, Y., see Sho, K. (59) 117
Ohta, M., see Kadota, C. (59) 213
Ohtaki, S., see Kondo, Y. (57) 261
Omri, B., see Breton, M.F. (55) 243
Onaya, T., see Haraguchi, K. (59) 111
Oonk, R.B. and Grootegoed, J.A.
Insulin-like growth factor I (IGF-I) receptors on Sertoli cells from immature rats and age-dependent testicular binding of IGF-I and insulin (55) 33
Ortiz-Caro, J., see Yusta, B. (58) 191
Østberg, B.C., see Torjesen, P.A. (56) 107
Ottolenghi, C., Fabbri, E., Puviani, A.C., Gavioli, M.E. and Brighenti, L.
Adenylate cyclase of catfish hepatocyte membranes: basal

properties and sensitivity to catecholamines and glucagon (60) 163
Ozawa, K., see Hattori, M.-a. (59) 1

Palmero, S., Maggiani, S. and Fugassa, E.
Nuclear triiodothyronine receptors in rat Sertoli cells (58) 253
Parsons, J.A., see Michel, E. (56) 71
Pascual, A., see Yusta, B. (58) 191
Pavlovic-Hournac, M., see Breton, M.F. (55) 243
Pavlovitch, J.H., see Rizk-Rabin, M. (60) 145
Pelletier, G., Liao, N., Follea, N. and Govindan, M.V.
Distribution of estrogen receptors in the rat pituitary as studied by in situ hybridization (56) 29
Pelletier, G., see Badr, M. (58) 257
Pelletier, G., see Tolszczuk, M. (60) 95
Penhoat, A., Darbeida, H., Bernier, M., Saez, J.M. and Durand, P.
Inhibition of hormonal-induced cAMP and steroid production by inhibitors of pregnenolone metabolism in adrenal and Leydig cells (60) 55
Pfeiffer, A. and Barden, N.
Glucocorticoid receptor gene expression in rat pituitary gland intermediate lobe following ovariectomy (55) 115
Phelps, C.J. and Hymer, W.C.
Effects of bromocriptine on prolactin cellular hypertrophy, proliferation and secretory activity in diethylstilbestrol-induced pituitary tumors (58) 137
Phillips, N.S., see Adams, J.B. (58) 231
Pichon, M.F., see Guilbaud, N. (56) 157
Pinon, I., Kishi, K. and Talamantes, F.
The kinetics of disappearance of endogenous mouse placental lactogen-II in intact and hypophysectomized pregnant mice (55) 45
Pinon-Lataillade, G., Vélez de la Calle, J.F., Viguier-Martinez, M.C., Garnier, D.H., Folliot, R., Maas, J. and Jégou, B.
Influence of germ cells upon Sertoli cells during continuous low-dose rate γ-irradiation of adult rats (58) 51
Pittman, C.S., see Chen, H.T. (59) 233
Platzer, M., see Martin, A. (60) 233
Posner, B.I., see Blanchard, M.M. (56) 235
Potvin, C., see Chapdelaine, P. (56) 63
Poyet, P., see St-Arnaud, R. (56) 21
Preslock, J.P., see Wun, W.-S.A. (55) 173
Pritchett, E.L., see Barnett, C.A. (56) 191
Prough, R.A., see Mathis, J.M. (60) 105
Prysor-Jones, R.A., Silverlight, J.J., Whitley, G.S.J. and Jenkins, J.S.
An analogue of creatine increases TRH-stimulated prolactin secretion and phosphoinositide hydrolysis in rat pituitary tumour cells (58) 175
Przylipiak, A., Kiesel, L., Rabe, T., Helm, K., Przylipiak, M. and Runnebaum, B.
Epidermal growth factor stimulates luteinizing hormone and arachidonic acid release in rat pituitary cells (57) 157
Przylipiak, M., see Przylipiak, A. (57) 157
Purvis, K., see Gordeladze, J.O. (58) 287
Puviani, A.C., see Ottolenghi, C. (60) 163
Quirk, S.J., Gannell, J.E. and Funder, J.W.
α-Lactalbumin production by rat mammary gland: prepartum emergence of resistance to glucocorticoids and progestins (58) 183

Rabe, T., see Przylipiak, A. (57) 157
Raghavan, D., see Jelbart, M.E. (55) 167
Rainey, W.E., Viard, I., Mason, J.I., Cochet, C., Chambaz, E.M. and Saez, J.M.
Effects of transforming growth factor beta on ovine adrenocortical cells (60) 189
Ranta, T., see Bützow, R. (60) 137
Ranta, T., see Ritvos, O. (56) 165
Rapoport, B., see Damante, G. (58) 279
Rasmussen, H., see Takuwa, Y. (60) 71
Rastad, J., see Johansson, H. (59) 77
Raue, F., see Schneider, H.-G. (58) 9
Ray, K.P. and Wallis, M.
Regulation of growth hormone secretion and cyclic AMP metabolism in ovine pituitary cells: interactions involved in activation induced by growth hormone-releasing hormone and phorbol esters (58) 243
Ray, K.P., see Hart, G.R. (56) 53
Read, A.M., see Schrey, M.P. (57) 107
Resnick, C.E., see Adashi, E.Y. (55) 7
Revol, A., see Sordoillet, C. (58) 283
Richelsen, B.
Interaction of indomethacin with the antilipolytic effect of prostaglandin E_2 in rat adipocytes (58) 85
Richmond, A., see Thomas, H.G. (57) 69
Risbridger, G.P., see Gonzales, G.F. (59) 179
Ritvos, O., Bützow, R., Jalkanen, J., Stenman, U.-H., Huhtaniemi, I. and Ranta, T.
Differential regulation of hCG and progesterone secretion by cholera toxin and phorbol ester in human cytotrophoblasts (56) 165
Ritvos, O.
Modulation of steroidogenesis in choriocarcinoma cells by cholera toxin, phorbol ester, epidermal growth factor and insulin-like growth factor I (59) 125
Ritvos, O., see Bützow, R. (60) 137
Rizk-Rabin, M. and Pavlovitch, J.H.
Effect of vitamin D deficiency and 1,25-dihydroxycholecalciferol treatment on epidermal calcium-binding protein (ECaBP) RNA activity (60) 145
Robertson, D.M., Hayward, S., Irby, D., Jacobsen, J., Clarke, L., McLachlan, R.I. and De Kretser, D.M.
Radioimmunoassay of rat serum inhibin: changes after PMSG stimulation and gonadectomy (58) 1
Robertson, D.M., see Toebosch, A.M.W. (55) 101
Rommerts, F.F.G., Teerds, K.J. and Hoogerbrugge, J.W.
In vitro effects of ethylene-dimethane sulfonate (EDS) on Leydig cells: inhibition of steroid production and cytotoxic effects are dependent on species and age of rat (55) 87
Rommerts, F.F.G., see Melsert, R. (59) 221
Rommerts, F.F.G., see Van Noort, M. (56) 133
Rosberg, S., see Billig, H. (56) 205
Ross, P.C., see Judd, A.M. (57) 115

Rossier, M.F., Capponi, A.M. and Vallotton, M.B.
Inositol trisphosphate isomers in angiotensin II-stimulated adrenal glomerulosa cells (57) 163
Roupas, P. and Herington, A.C.
Intracellular processing of growth hormone receptors by adipocytes in primary culture (57) 93
Rui, H., see Gordeladze, J.O. (58) 287
Runnebaum, B., see Przylipiak, A. (57) 157
Russell, P., see Jelbart, M.E. (55) 167
Russell, P.J., see Jelbart, M.E. (55) 167

Sabbagh, I., see Guillaumot, P. (58) 17
Sabbagh, I., see Guillaumot, P. (58) 25
Saez, J.M., see Durand, P. (57) 215
Saez, J.M., see Langlois, D. (58) 199
Saez, J.M., see Penhoat, A. (60) 55
Saez, J.M., see Rainey, W.E. (60) 189
Sales, V., see Zollinger, L. (58) 31
Sandler, S., see Strandell, E. (59) 83
Sandra, A. and Marshall, S.J.
Differential sensitivity of the insulin receptor to proteolysis after β-adrenergic stimulation (60) 87
Schifman, A.L., Mansson, P.E., Carter, D.B., Yamada, K., Harris, M.M. and Harris, S.E.
Structure of the androgen dependent SVS VI protein as derived from cDNA (59) 57
Schmidt, K., see Khan, S.A. (58) 221
Schneider, H.-G., Raue, F., Zink, A., Koppold, A. and Ziegler, R.
Down-regulation of calcitonin receptors in T47D cells by internalization of calcitonin-receptor complexes (58) 9
Schrey, M.P. and Read, A.M.
Cholinergic stimulation of phosphoinositide hydrolysis in rat anterior pituitary (57) 107
Schuurmans, A.L.G., Bolt, J. and Mulder, E.
Androgens and transforming growth factor β modulate the growth response to epidermal growth factor in human prostatic tumor cells (LNCaP) (60) 101
Segnitz, B., see Gehring, U. (56) 245
Segond, N., see Jousset, V. (59) 165
Sender Baum, M.G. and Ahrén, K.E.B.
Sphingosine and psychosine, suggested inhibitors of protein kinase C, inhibit LH effects in rat luteal cells (60) 127
Seppälä, M., see Bützow, R. (60) 137
Setchenska, M.S., Bonanou-Tzedaki, S.A. and Arnstein, H.R.V.
Independent activation of adenylate cyclase by erythropoietin and isoprenaline (56) 199
Sharpe, R.M., Kerr, J.B. and Maddocks, S.
Evidence for a role of the Leydig cells in control of the intratesticular secretion of inhibin (60) 243
Sheppard, M.C., see Franklyn, J.A. (60) 1
Sherizly, I., see Dekel, N. (56) 115
Shimohigashi, Y., see Hattori, M.-a. (57) 17
Sho, K., Hayashi, H., Ohmiya, Y. and Kondo, Y.
Preferential formation of triiodothyronine residues in newly synthesized [^{14}C]tyrosine-labeled thyroglobulin molecules in follicles reconstructed in a suspension culture of hog thyroid cells (59) 117
Sho, K., see Haraguchi, K. (59) 111
Silverlight, J.J., see Prysor-Jones, R.A. (58) 175
Simard, J., Vincent, A., Duchesne, R. and Labrie, F.
Full oestrogenic activity of C_{19}-Δ^5 adrenal steroids in rat pituitary lactotrophs and somatotrophs (55) 233
Simpson, E.R., see Mathis, J.M. (60) 105
Simpson, E.R., see Steinkampf, M.P. (59) 93
Simpson, E.R., see Yanase, T. (59) 249
Sion, B., Chanat, E., Duval, J. and Thieulant, M.L.
Peptides co-released with luteinizing hormone by perifused pituitary cell aggregates (60) 151
Skett, P., see Hussin, A.H. (55) 203
Skinner, M.K., see Lobb, D.K. (55) 209
Smith, D.L., see Martyn, P. (60) 7
Smith, J.A., see Lerivray, H. (59) 241
Smith, W.A., see Meller, V.H. (59) 67
Sordoillet, C., Chauvin, M.A., Revol, A., Morera, A.M. and Benahmed, M.
Fibroblast growth factor is a regulator of testosterone secretion in cultured immature Leydig cells (58) 283
Spangelo, B.L., see Judd, A.M. (57) 115
Spicer, L.J. and Hammond, J.M.
Comparative effects of androgens and catecholestrogens on progesterone production by porcine granulosa cells (56) 211
St-Arnaud, R., Poyet, P., Walker, P. and Labrie, F.
Androgens modulate epidermal growth factor receptor levels in the rat ventral prostate (56) 21
St-Arnaud, R., see Lacoste, D. (56) 141
Staley, D., see Valadez, F.J. (56) 81
Steenbergh, P.H., see Lips, C.J.M. (57) 1
Steinkampf, M.P., Mendelson, C.R. and Simpson, E.R.
Effects of epidermal growth factor and insulin-like growth factor I on the levels of mRNA encoding aromatase cytochrome *P*-450 of human ovarian granulosa cells (59) 93
Stenman, U.-H., see Ritvos, O. (56) 165
Stewart, H.J., see Flint, A.P.F. (58) 109
Stillabower, G.M., see DeGroot, L.J. (57) 123
Strandell, E., Eizirik, D.L., Korsgren, O. and Sandler, S.
Functional characteristics of cultured mouse pancreatic islets following exposure to different streptozotocin concentrations (59) 83
Strous, G.J., see Wauben-Penris, P.J.J. (57) 225
Sullivan, A., see Blanchard, M.M. (56) 235
Sweat, F.W. and Berger, P.J.
Uterotropic 6-methoxybenzoxazolinone is an adrenergic agonist and a melatonin analog (57) 131

Takahashi, M., see Kadota, C. (59) 213
Takuwa, N., see Takuwa, Y. (60) 71
Takuwa, Y., Kelley, G., Takuwa, N. and Rasmussen, H.
Protein phosphorylation changes in bovine carotid artery smooth muscle during contraction and relaxation (60) 71
Talamantes, F., see Pinon, I. (55) 45
Tata, J.R., see Lerivray, H. (59) 241
Teerds, K.J., see Rommerts, F.F.G. (55) 87
Thatcher, W.W., see Helmer, S.D. (58) 103
Thieulant, M.L., see Sion, B. (60) 151
Thomas, H.G. and Richmond, A.

High yield purification of melanoma growth stimulatory activity (57) 69
Toebosch, A.M.W., Robertson, D.M., Trapman, J., Klaassen, P., De Paus, R.A., De Jong, F.H. and Grootegoed, J.A.
Effects of FSH and IGF-I on immature rat Sertoli cells: inhibin α- and β-subunit mRNA levels and inhibin secretion (55) 101
Tolszczuk, M. and Pelletier, G.
Autoradiographic localization of β-adrenergic receptors in rat oviduct (60) 95
Torjesen, P.A., Bjøro, T., Østberg, B.C. and Haug, E.
Thyrotropin-releasing hormone-stimulated inositol trisphosphate formation is liable to thyrotropin-releasing hormone-induced desensitization by a calcium-dependent mechanism (56) 107
Trapman, J., see Toebosch, A.M.W. (55) 101
Travers, M.T., Wakeling, A.E. and Knowler, J.T.
The isolation of recombinant RNA species responsive to oestrogen and tamoxifen in rat uterus and MCF-7 cells (57) 179
Tremblay, R.T., see Chapdelaine, P. (56) 63
Tsang, B.K., see Asem, E.K. (57) 149
Tveter, K., see Gordeladze, J.O. (58) 287

Ui, N., see Kondo, T. (57) 101
Unger, M., see Erickson, G.F. (60) 177

Valadez, F.J., Staley, D. and Conn, P.M.
Release of gonadotropin alpha subunit from rat pituitary cultures in response to GnRH (56) 81
Valenca, M.M., Wetsel, W.C., Culler, M.D. and Negro-Vilar, A.
Differential secretion of proLHRH fragments in response to $[K^+]$, prostaglandin E_2 and C kinase activation (55) 95
Valette, A., see Guilbaud, N. (56) 157
Vallotton, M.B., see Rossier, M.F. (57) 163
Van Amerongen, A., see Van Noort, M. (56) 133
Van Damme, J., see Verhoeven, G. (57) 51
Van den Berg, T.P., see Mol, J.A. (55) 149
Van den Berg, T.P., see Mol, J.A. (55) 159
Van der Donk, H.A., see Wauben-Penris, P.J.J. (57) 225
Van der Sluys Veer, J., see Lips, C.J.M. (57) 1
Van Noort, M., Rommerts, F.F.G., Van Amerongen, A. and Wirtz, K.W.A.
Regulation of sterol carrier protein$_2$ (SCP_2) levels in the soluble fraction of rat Leydig cells. Kinetics and the possible role of calcium influx (56) 133
Vassart, G., see Gerard, C.M. (60) 239
Veilleux, R., see Labrie, F. (58) 207
Veldhuis, J.D., see Wheeler, M.B. (59) 195
Vélez de la Calle, J.F., see Pinon-Lataillade, G. (58) 51
Verhoeven, G. and Cailleau, J.
Prolonged exposure to androgens suppresses follicle-stimulating hormone-induced aromatase activity in rat Sertoli cell cultures (57) 61
Verhoeven, G., Cailleau, J., Van Damme, J. and Billiau, A.
Interleukin-1 stimulates steroidogenesis in cultured rat Leydig cells (57) 51
Verity, K., see Fuller, P.J. (60) 225
Viard, I., see Rainey, W.E. (60) 189
Vigier, M., see Lefèvre, A. (60) 169
Viguier-Martinez, M.C., see Pinon-Lataillade, G. (58) 51
Vincent, A., see Simard, J. (55) 233
Visser, T.J., see Mol, J.A. (55) 149
Visser, T.J., see Mol, J.A. (55) 159

Wakabayashi, K., see Hattori, M.-a. (57) 17
Wakabayashi, K., see Hattori, M.-a. (59) 1
Wakeling, A.E., see Travers, M.T. (57) 179
Walker, A., see Croze, F. (55) 253
Walker, P., see St-Arnaud, R. (56) 21
Walker, S.W., Lightly, E.R.T., Milner, S.W. and Williams, B.C.
Catecholamine stimulation of cortisol secretion by 3-day primary cultures of purified zona fasciculata/reticularis cells isolated from bovine adrenal cortex (57) 139
Wallfelt, C., see Johansson, H. (59) 77
Wallis, M., see Hart, G.R. (56) 53
Wallis, M., see Ray, K.P. (58) 243
Waterman, M.R., see Brownie, A.C. (55) 15
Waterman, M.R., see Yanase, T. (59) 249
Watson, R.D. and Bollenbacher, W.E.
Juvenile hormone regulates the steroidogenic competence of *Manduca sexta* prothoracic glands (57) 251
Wauben-Penris, P.J.J., Strous, G.J. and Van der Donk, H.A.
The influence of pre-incubation on the rate of iron uptake and of transferrin synthesis by intact isolated rat seminiferous tubules (57) 225
Welsh, J.E., see Bégin-Heick, N. (59) 187
Welshons, W.V., Wolf, M.F., Murphy, C.S. and Craig Jordan, V.
Estrogenic activity of phenol red (57) 169
West, L.A., see Davis, J.S. (58) 43
Westberg, M., see Borg, L.A.H. (56) 219
Wetsel, W.C., see Valenca, M.M. (55) 95
Wheeler, M.B. and Veldhuis, J.D.
Interactions of protein kinase C with receptor- and non-receptor-mediated cyclic AMP generation in swine granulosa cells (59) 195
Whitley, G.S.J., see Prysor-Jones, R.A. (58) 175
Williams, B.C., see Walker, S.W. (57) 139
Wilson, C.M., see McGowan, R.A. (56) 271
Wilson, P., see Colston, K.W. (60) 15
Wirtz, K.W.A., see Van Noort, M. (56) 133
Wolf, M.F., see Welshons, W.V. (57) 169
Wood, D.F., see Franklyn, J.A. (60) 1
Wun, W.-S.A., Berkowitz, A.S. and Preslock, J.P.
Differences in the cyclic nucleotide mediation of luteinizing hormone-releasing hormone action on the rat and hamster anterior pituitary gland (55) 173

Yamada, K., see Schifman, A.L. (59) 57
Yanase, T., Kagimoto, M., Matsui, N., Simpson, E.R. and Waterman, M.R.
Combined 17α-hydroxylase/17,20-lyase deficiency due to a stop codon in the N-terminal region of 17α-hydroxylase cytochrome *P*-450 (59) 249

Yusta, B., Ortiz-Caro, J., Pascual, A. and Aranda, A.
Mechanism of L-triiodothyronine (T_3) uptake by glial C6 cells: regulation by butyrate (58) 191

Zakarija, M., Hornicek, F.J., Levis, S. and McKenzie, J.M.
Effects of γ-interferon and tumor necrosis factor α on thyroid cells: induction of class II antigen and inhibition of growth stimulation (58) 129

Zhang, Z., Lee, V.W.K., Carson, R.S. and Burger, H.G.
Selective control of rat granulosa cell inhibin production by FSH and LH in vitro (56) 35

Zhang, Z., Findlay, J.K., Carson, R.S., Herington, A.C. and Burger, H.G.
Transforming growth factor β enhances basal and FSH-stimulated inhibin production by rat granulosa cells in vitro (58) 161

Ziegler, R., see Schneider, H.-G. (58) 9

Zink, A., see Schneider, H.-G. (58) 9

Zisapel, N. and Anis, Y.
Impact of circulating testosterone on iodomelatonin binding sites in the male rat brain (60) 119

Zollinger, L., Noël, G., Des Parois, L., Sales, V., Crine, P. and Boileau, G.
Expression of porcine pro-opiomelanocortin cDNA in an established fibroblastic cell line: constitutive secretion of the precursor without proteolytic processing (58) 31

Zull, J.E., see Laethem, R. (59) 155